

TABELA WSPÓŁRZ DNYCH CHARAKTERYSTYCZNYCH PUNKTÓW LINII KABLOWYCH I LOKALIZACJI SŁUPÓW NA ULICY BIAŁYCH RÓ			
Linia zasilaj ca			
Lp	X	Y	Stupy o wietleniowe
Z1	53393.95	42916.99	
Z2	53401.84	42893.28	
Z3	53411.49	42893.74	
Linia o wietleniowa			
1	53421.63	42892.58	1
2	53421.59	42894.03	
3	53449.58	42894.84	
4	53449.62	42893.39	2
5	53477.57	42895.64	
6	53477.61	42894.19	3
7	53505.56	42896.45	
8	53505.6	42895.00	4
9	53535.55	42897.31	
10	53535.59	42895.86	5
11	53557.54	42897.95	
12	53557.58	42896.50	6
13	53585.52	42898.75	
14	53585.57	42897.30	7
15	53602.27	42899.23	
16	53613.5	42899.69	
17	53613.55	42898.25	8
18	53619.34	42904.00	
19	53625.33	42904.25	
20	53631.06	42898.99	
21	53632.01	42899.03	9
22	53648.76	42899.73	
23	53659.99	42899.98	10
24	53684.99	42900.33	11
25	53702.34	42900.57	
26	53711.98	42900.84	12
27	53739.97	42901.65	13
28	53767.96	42902.46	14
29	53793.95	42903.21	15
30	53821.93	42904.01	16
31	53827.28	42909.67	
32	53833.27	42909.84	
33	53838.93	42904.50	17
34	53862.92	42905.19	18
35	53890.91	42906.00	19
36	53914.73	42906.69	
37	53918.91	42906.43	20